

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Chemicals for Diuretic

| Chemical | Dosage |
|------------------------------------|----------------|
| 4-TERPINEOL | -- |
| ACHYRANTHINE | -- |
| ACULEATINE-HYDRATE | 125 ppm |
| ADENINE | -- |
| AESCI | -- |
| AESCLIN | -- |
| ALANTOLACTONE | -- |
| ALISOL-A-MONOACETATE | -- |
| ALISOL-B | -- |
| AMABAIN | -- |
| AMINOPHYLLINE | -- |
| ANAGYRINE | -- |
| APIGENIN | -- |
| APIOLE | -- |
| ARbutin | 60-200 mg/man |
| ARCTIIN | -- |
| ARECOLINE | -- |
| ARGININE | -- |
| ASCORBIC-ACID | 700 mg/man/orl |
| ASPARAGINE | -- |
| ASPIDOSPERMINE | -- |
| AUCUBIN | -- |
| AVICULARIN | -- |
| AVISAN | -- |
| BAICALEIN | -- |
| BAICALEIN-5,6,7-TRIHYDROXY-FLAVONE | -- |
| BAICALIN | -- |

| Chemical | Dosage |
|------------------|------------------|
| BERBERASTINE | -- |
| BERBERINE | -- |
| BETAINE | -- |
| BOLDINE | -- |
| CAFFEIC-ACID | -- |
| CAFFEINE | -- |
| CALCIUM | -- |
| CARPAINE | -- |
| CATALPOL | -- |
| CATALPOSIDE | -- |
| CATHARANTHINE | -- |
| CAUDOSIDE | -- |
| CAUDOSTROSIDES | -- |
| CHELIDONINE | -- |
| CHLOROGENIC-ACID | -- |
| CITRULLINE | -- |
| COCAINE | 10 mg/kg scu dog |
| CORNERIN | -- |
| CORNERINE | -- |
| CORONARIDINE | -- |
| CYNARIN | -- |
| DIOSMIN | -- |
| DIOSPHENOL | -- |
| DIVARICOSIDE | -- |
| DIVOSTROSIDES | -- |
| DOPAMINE | -- |
| ECHITAMINE | -- |

| Chemical | Dosage |
|-------------------------|------------------------|
| EPHEDRINE | -- |
| EPINEPHRINE | 0.5 mg/kg scu dig |
| EQUISETONIN | -- |
| ERICOLIN | -- |
| ERYTHROPHLEGUINE | -- |
| ESCI | -- |
| ESCULIN | -- |
| EVODIAMINE | -- |
| FENUGREEKINE | -- |
| FIBER | -- |
| FOLIANDRIN | -- |
| FRAXIN | -- |
| FRIEDELIN | -- |
| GABA | 1,500-4,000 mg/man/day |
| GAMMA-AMINOBUTYRIC-ACID | 1,500-4,000 mg/man/day |
| GAULTHERIN | -- |
| GLYCERIC-ACID | -- |
| GLYCOLIC-ACID | -- |
| HETEROBETULIN | 20 ims |
| HYPERIN | -- |
| HYPERSOSIDE | -- |
| IBOGAINE | -- |
| INULICIN | -- |
| IRIDIN | -- |
| IRIGENIN-7-O-GLUCOSIDE | -- |
| ISOPIMPINELLIN | 125 mg/kg |
| ISOQUERCITRIN | 10 ppm |

| Chemical | Dosage |
|------------------------------|-------------------|
| JALIGONIC-ACID | -- |
| KAEMPFEROL | -- |
| KAEMPFEROL-3-RHAMNOGLUCOSIDE | -- |
| KUTKIN | -- |
| L-DOPA | 1-2 g/man/day |
| LEONURINE | -- |
| LIMACINE | -- |
| LOBELINE | -- |
| LUPININE | -- |
| LUTEOLIN | -- |
| MAGNESIUM | -- |
| MANGIFERIN | -- |
| MANNITOL | -- |
| MYRICETIN | -- |
| MYRICETIN-3-RHAMNOSIDE | -- |
| MYRICITRIN | -- |
| MYRISTICIN | -- |
| N-HENTRIACONTANE | -- |
| NERIIN | -- |
| NIMBIDIN | -- |
| NIMBINATE(SODIUM) | 200 mg/kg orl dog |
| OBAKULATONE | -- |
| OLEANDRIN | -- |
| OLEANOLIC-ACID | -- |
| OUABAIN | -- |
| OXYSPARTEINE | -- |
| PAEONOL | -- |

| Chemical | Dosage |
|---|-------------------|
| PHAEANTHINE | -- |
| PHARBITIN | -- |
| PHTHALIDE | -- |
| PIMPINELLIN | 125 mg/kg |
| PLUMBAGIN | -- |
| POLYGAMOL | -- |
| POTASSIUM | -- |
| PROXIMOL | -- |
| PSEUDOEPHEDRINE | 0.6 mg/kg ivn dog |
| QUERCETIN-3-RHAMNOGLUCOSIDE | -- |
| QUERCITRIN | -- |
| QUILLAIC-ACID | -- |
| RADICANIN | -- |
| ROBIDENOL-3-GALLATE | -- |
| ROBININ | -- |
| SANGUINARINE | -- |
| SCILLITIN | -- |
| SCOPARIN | -- |
| SCOPAROSIDE | -- |
| SCUTELLAREIN-5-GLUCURONIDE | -- |
| SHEKANIN | -- |
| SORBITOL | -- |
| SPARTEINE | -- |
| STEPPOSIDE | -- |
| STEVIOLE | -- |
| STIGMASTA-7,22-DIENE-3-BETA-O-GLUCOSIDE | -- |
| TECTORIGENIN | -- |

| Chemical | Dosage |
|----------------------|--------------------|
| TERPINEN-4-OL | 0.1 ml/rat |
| TETRAMETHYL-PYRAZINE | -- |
| THEOBROMINE | 300-600 mg/man/day |
| THEOPHYLLINE | 15 mg/kg ivn rbt |
| TODDALOLACTONE | 125 mg/kg |
| TODDANONE | 125 mg/kg |
| TODDASINE | 20 mg/kg |
| ULEXOSIDE | -- |
| URSOLIC-ACID | -- |
| VINDOLININE | -- |
| VIKSTROEMIN | -- |
| WOGONIN | -- |
| XANTHONES | -- |
| XYLITOL | -- |
| XYSMALOBIN | -- |